

PRODUCT-DETAILS

# CP1-10R-01

## PUSHBUTTON CP1-10R-01



### General Information

|                       |  |
|-----------------------|--|
| Extended Product Type | CP1-10R-01   |
| Product ID            | 1SFA619100R1041  |
| EAN                   | 7320500550502  |
| Catalog Description   | PUSHBUTTON CP1-10R-01  |
| Long Description      | Compact Pushbutton - Momentary - Flush - Red - Non-illuminated - Black plastic - 1NC |

### Ordering

|                        |               |
|------------------------|---------------|
| E-Number (Finland)     | 2312716       |
| E-Number (Norway)      | 4373390       |
| E-Number (Sweden)      | 3705395       |
| EAN                    | 7320500550502 |
| Minimum Order Quantity | 10 piece      |
| Customs Tariff Number  | 8536501999    |

### Dimensions

|                            |          |
|----------------------------|----------|
| Product Net Width          | 0.03 m   |
| Product Net Height         | 0.03 m   |
| Product Net Depth / Length | 0.055 m  |
| Product Net Weight         | 0.018 kg |

## Container Information

|                                |               |
|--------------------------------|---------------|
| Package Level 1 Units          | bag 10 piece  |
| Package Level 1 Width          | 0.1 m         |
| Package Level 1 Height         | 0.03 m        |
| Package Level 1 Depth / Length | 0.1 m         |
| Package Level 1 Gross Weight   | 0.18 kg       |
| Package Level 1 EAN            | 7320500240854 |

## Environmental

|                         |  |
|-------------------------|--|
| Ambient Air Temperature | Operation -25 ... +70 °C<br>Storage -40 ... +85 °C                     |
| RoHS Status             | Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019 |

## Additional Information

|   |   |
|---|---|
| Actuator Type                                     | Flush   |
| Bezel Material                                    | Black Plastic   |
| Block   | 1NC   |
| Color   | Red   |
| Connection Type                                   | Screw Clamp   |
| Degree of Protection                              | Front IP66<br>Front IP67<br>Front IP69K<br>Terminals IP20 |
| Function  | Momentary   |
| Illumination                                      | Non-illuminated   |
| Mechanical Durability                             | 0.5 million   |
| Number of Auxiliary Contacts NC                   | 1   |
| Product Main Type                                 | CP1   |
| Product Name                                      | Pushbutton  |
| Product Range                                     | Compact   |
| Product Type                                      | CP  |
| Rated Frequency (f)                               | 50 / 60 Hz  |
| Rated Operational Current AC-15 (I <sub>e</sub> ) | (240 V) 1 A   |
| Rated Operational Current DC-13 (I <sub>e</sub> ) | (24 V) 0.3 A<br>(125 V) 0.2 A                             |
| Rated Operational Voltage                         | 24 ... 300 V  |
| RoHS Date   | 0626 5  |

## Certificates and Declarations (Document Number)

|                                       |                     |
|---------------------------------------|---------------------|
| CCC Certificate                       | 2003010305054693_   |
| CQC Certificate                       | CQC2003010305054693 |
| cURus Certificate                     | UL_E496500-20171020 |
| Data Sheet, Technical Information     | 1SFC151007C02_      |
| Declaration of Conformity - CCC (CCC) | 2020980305001187    |
| Declaration of Conformity - CE        | 2CMT2015-005451     |
| DNV GL Certificate                    | 9AKK107046A3749     |
| Environmental                         | 1SFC151009D0201     |

## Information

|                          |                 |
|--------------------------|-----------------|
| Instructions and Manuals | 1SFC151011M0201 |
| RoHS Information         | 2CMT2015-005451 |

---

**Classifications**

|                            |  |
|----------------------------|--|
| ETIM 4                     | EC002024 - Accessories for control circuit devices         |
| ETIM 5                     | EC001028 - Push button, complete                           |
| ETIM 6                     | EC001028 - Push button, complete                           |
| ETIM 7                     | EC001028 - Push button, complete                           |
| Object Classification Code | S  |
| UNSPSC                     | 39121512   |
| WEEE Category              | 5. Small Equipment (No External Dimension More Than 50 cm) |

---

**Categories**

Low Voltage Products and Systems → Control Products → Pilot Devices → Compact Range

